•			
<u> </u>	Application No.	Applicant(s)	
Notice of Allowability	09/890.470	KIKUYAMA ET AL.	
	Examiner	Art Unit	
	Peter A. Hruskoci	1724	
The MAILING DATE of this communication as All claims (allowance PROSECUTION ON THE MERITS herewith (or previously mailed), a Notice of Allowance (PTOLNOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT of the Office or upon petition by the applicant. See 37 CFR 1.:	IS (OR REMAINS) CLOSED in 85) or other appropriate comming RIGHTS. This application is	n this application. If not included unication will be mailed in due cou	ırse. THIS
1. This communication is responsive to the amendment file	led 7-28-03.		
2. The allowed claim(s) is/are 1,3,5,6 and 13.			
3. M The drawings filed on 01 August 2002 are accepted by	the Examiner.		
4. Acknowledgment is made of a claim for foreign priority	under 35 U.S.C. § 119(a)-(d) o	r (f).	
a) All b) Some* c) None of the:			
Certified copies of the priority documents h			
2. Certified copies of the priority documents h	• •		_
3. Copies of the certified copies of the priority		d in this national stage application	from the
International Bureau (PCT Rule 17.2(a))			
* Certified copies not received: 5. Acknowledgment is made of a claim for domestic priority	ndor 25 11 C C C 140(a) (4a		
(a) The translation of the foreign language provisional			
6. Acknowledgment is made of a claim for domestic prioriti	• •		
	,		
Applicant has THREE MONTHS FROM THE "MAILING DATE below. Failure to timely comply will result in ABANDONMENT			
7. A SUBSTITUTE OATH OR DECLARATION must be sunFORMAL PATENT APPLICATION (PTO-152) which gives re	ibmitted. Note the attached EX eason(s) why the oath or decla	AMINER'S AMENDMENT or NOT ration is deficient.	ICE OF
8. CORRECTED DRAWINGS must be submitted.			
(a) ☐ including changes required by the Notice of Drafts	person's Patent Drawing Revie	w (PTO-948) attached	
1) 🗌 hereto or 2) 🔲 to Paper No			
(b) including changes required by the proposed drawing	ng correction filed, which	ch has been approved by the Exar	niner.
(c) including changes required by the attached Examin	ner's Amendment / Comment o	r in the Office action of Paper No.	
Identifying indicia such as the application number (see 37 CF each sheet.	R 1.84(c)) should be written on t	he drawings in the front (not the bac	:k) of
9. DEPOSIT OF and/or INFORMATION about the de attached Examiner's comment regarding REQUIREMENT FOR			the
Attachment(s)			
1 ☐ Notice of References Cited (PTO-892)		f Informal Patent Application (PTC	
 Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No 		v Summary (PTO-413), Paper No. er's Amendment/Comment	· ·
7☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material		er's Statement of Reasons for Allow	wance

Application/Control Number: 09/890,470

Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jeffrey Knapp on 10-16-03.

The application has been amended as follows:

In claim 1 line 2 before "water" - waste - has been inserted; in line 3 "bicarbonates" has been changed to - bicarbonate -; in line 4 after "," - wherein the waste water is waste water defluorinated by adding calcium carbonate to primary waste water containing HF, - has been inserted; in line 5 after "to" - the - has been inserted; in line 7 before "," - to cause the pH of the waste water to range from 8.5 to 10.5 - has been inserted; and in line 10 after "calcium" - by - has been inserted.

In claim 3 line 2 before "water" - waste - has been inserted.

In claim 5 lines 2 and 3 before "water" - waste - has been inserted.

In claim 6 line 2 before "water" - waste - has been inserted; in line 4 after "," - wherein the waste water is waste water defluorinated by adding calcium carbonate to primary waste water containing HF, - has been inserted; in line 6 after "to" - the - has been inserted; and in line 8 before ";" -in a quantity of at least about 75% of the equivalent weight to calcium - has been inserted.

In claim 13 lines 2 and 3 before "water" - waste - has been inserted; and in line 3 "8" has been changed to - 6 -.

Claims 4, 7-10, and 14-17 have been canceled.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter A. Hruskoci whose telephone number is 703-308-3839. The examiner can normally be reached on Monday through Friday from 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on 703-308-1261. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Peter A. Hruskoci Primary Examiner Art Unit 1724

10/16/03